

HPD UNIQUE IDENTIFIER: 26327

CLASSIFICATION: 09 84 13 Fixed Sound-Absorptive Panels

PRODUCT DESCRIPTION: Custom Architectural Acoustical Panels (Pinta Acoustics covered fiberglass core) PP Pinta Panel PPC Pinta Ceiling Panels PINTA Pinta Acoustical Panel AB Accent Baffle SWC Pinta SoundWave Cloud - Pint

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format: Basic Method; Threshold Level: 1,000 ppm; Residuals/Impurities: Considered; Explanation(s) provided for Residuals/Impurities?: Yes; All Substances Above the Threshold Indicated Are: Characterized, Screened, Identified.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE GOLTERMAN & SABO PINTA PRODUCTS PANELS, BAFFLES, SOUNDWAVE CLOUD (GROUP 2) [FIBERGLASS LT-UNK SULFUROUS ACID, SODIUM SALT (1:1), POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE (EXPANDED FOAM PRODUCT OF SULFUROUS ACID, SODIUM SALT (1:1), POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE) LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percent weight and role are provided for all substances All substances are screened using priority Hazard lists All substances are disclosed by name

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05) VOC content: GreenGuard - Gold (previously Children & Schools) Formaldehyde emissions: UL/GreenGuard Gold Certified Other: ASTM D6329-98

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2021-10-26

PUBLISHED DATE: 2021-10-26

EXPIRY DATE: 2024-10-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GOLTERMAN & SABO PINTA PRODUCTS PANELS, BAFFLES, SOUNDWAVE CLOUD (GROUP 2)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:
Yes

RESIDUALS AND IMPURITIES NOTES: Materials suppliers have certified residuals and impurities not present at 1000 ppm or more

OTHER PRODUCT NOTES: None known to be present at > 1000 ppm (supplier data).

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 9:43:10**

#: **60.0000 - 65.0000** GS: **LT-UNK** RC: **PostC** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: UL testing certified 0 formaldehyde emissions
Greenguard GOLD certification

SULFUROUS ACID, SODIUM SALT (1:1), POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE (EXPANDED FOAM PRODUCT OF SULFUROUS ACID, SODIUM SALT (1:1), POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE)

ID: 64787-97-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 11:00:58**

#: **60.0000 - 85.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: "Pinta" foam textured surface sound absorbing material

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 10:50:59**

#: **5.0000 - 10.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: On surface within paint matrix.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05)		
----------------------	--	--	--

CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-01-01	EXPIRY DATE: 2022-12-31	CERTIFIER OR LAB: Calculated
APPLICABLE FACILITIES: All			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: 0 VOCs calculated			

VOC CONTENT	GreenGuard - Gold (previously Children & Schools)		
--------------------	--	--	--

CERTIFYING PARTY: Second Party	ISSUE DATE: 2021-01-01	EXPIRY DATE: 2022-12-31	CERTIFIER OR LAB: supplier
APPLICABLE FACILITIES: all			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: GreenGuard Gold certification of Fiberglass substrate Article - no VOCs.			

FORMALDEHYDE EMISSIONS	UL/GreenGuard Gold Certified		
-------------------------------	-------------------------------------	--	--

CERTIFYING PARTY: Second Party	ISSUE DATE: 2021-01-01	EXPIRY DATE: 2022-12-31	CERTIFIER OR LAB: Supplier reported
APPLICABLE FACILITIES: all			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Fiberglass reinforced base substrate			

OTHER	ASTMD6329-98		
--------------	---------------------	--	--

CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-10-26	EXPIRY DATE: 2022-04-25	CERTIFIER OR LAB: Self
APPLICABLE FACILITIES: Commercial facilities			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Resists mildew and fungus			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Golterman & Sabo is a proud supplier of the Pinta Acoustic's Product line. Pinta Acoustic offers ceiling baffles, clouds and panels made of open-cell melamine-base foam. These products provide excellent cost effective sound absorbing properties.

MANUFACTURER INFORMATION

MANUFACTURER: Golterman & Sabo, Inc
ADDRESS: 3555 Scarlet Oak Blvd
 St. Louis MO 63122, US
WEBSITE: www.gsacoustics.com

CONTACT NAME: Chuck DeFosset
TITLE: VP Engineering and Project Management
PHONE: 636.225.8800
EMAIL: chuckd@golterman.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.