


# ACOUSTI-IMPACT (AIP) WALL PANELS



## PRODUCT FEATURES

- Impact resilient panels
- Ideal for lightweight and thin fabrics
- Durable enough for a gym
- Custom shapes and sizes
- Fabric finish
- Available in a variety of thicknesses

## CORE

Facing: High density scrim  
Backing: 6 - 7 pcf fiberglass  
1/2" - 4" thick

## SIZES

Up to 4' x 12' and 5' x 10'

\*Some size restrictions apply, [see website](#)

## MOUNTING

Adhesive, impaling clips, two-part Z-clips

## EDGES

Square, beveled, radiused and hardened

## FINISH

Fabric finish

## FLAMMABILITY

All components have a Class "A" rating per ASTM E84

## SOUND ABSORPTION

Hz	125	250	500	1000	2000	4000	NRC
AIP .5	.07	.09	.35	.77	.98	1.03	.55
AIP .75	.04	.19	.59	.91	1.05	1.02	.70
AIP 1	.10	.25	.84	1.08	1.13	1.11	.85
AIP 1.5	.31	.58	1.03	1.10	1.05	1.04	.95
AIP 2	.42	.89	1.12	1.07	1.10	1.09	1.05
AIP 3	.75	.89	1.11	1.21	1.21	1.20	1.10
AIP 4	.87	.87	1.24	1.26	1.26	1.25	1.15

Note: NRC test results based on our standard acoustically transparent fabric. Results may vary with other fabrics.

CONTROLLING SOUND BEAUTIFULLY

800-737-0307 • 636-225-8800  
gsacoustics.com

