

The background is a composite of several elements. The top-left half features a dark teal, low-poly geometric pattern. The top-right half is a light teal background with a thin, dark geometric line pattern. A blurred, low-angle profile of a person's head and shoulders is visible on the right side, overlapping the light teal area. The bottom half of the image is a solid dark teal color, serving as a backdrop for the text.

ARTOFIX


SUMMARY

2025



01 — p. 4-5

Our Story



02 — p. 6-47

Architectural Solutions

- > Architectural Tiles
- > Suspended Ceilings
- > Clouds
- > Baffles



03 — p. 46-55

Predefined Solutions

- > Solo
- > Duo
- > Trio



04 — p. 56-62

Specifications

- > Fabrics
- > Moldings



01

OUR STORY

Creative collaboration

We use art to solve acoustic problems and beautify living spaces. Our solutions combine acoustic comfort with careful design to create healthy, inspiring environments that make everybody feel better. Our ultimate goal is to help our customers transform their living environments into better spaces.

Artofix delivers acoustic solutions that combine acoustic expertise with extensive experience in innovative product design.

We draw inspiration from our hometown of Montreal, a UNESCO City of Design. Our

products fuse the city's European influences with its unique architecture. Our Crystal tile (platinum award winner at the Grands Prix du Design) echoes the outline of the city's iconic Mount Royal.


At Artofix, we're always thinking about well-being and the environment. All our products are designed and manufactured in Canada with raw materials sourced from local supply chains. We use recovered materials wherever possible. And not only are Artofix products sustainable, they can also be disassembled and reused.

ARCHITECTURAL Solutions



Creative freedom

Artofix has a full lineup of architectural solutions for walls and ceilings. Our tiles are available in a variety of shapes and contours, with a long list of fabric and color options. There's room for you to mix and match to create a unique layout for any project.



Solutions with impact

Some of our architectural products are designed as solutions for noisy, echoey sports facilities. Tiles labelled “Sport-Impact” flex under impact and exceptionally durable when installed using our proven method.

CRYSTAL

The outline of the Crystal tile echoes Montreal’s iconic Mount Royal. Winner of the Grand Prix du Design’s Platinum Award, it has a striking profile that’s amplified in vertical and horizontal applications and audibly improves acoustic comfort.



Crédit photo : Stéphane Groleau

REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	24 x 24 in 610 x 610 mm	4 in 102 mm	4 ft² 0,372 m²	CRYA-2424-R-X-****-****	●	●	●

Perimeter Molding

	Artotrim-C1 ARTC-1144-M-X-0000-0002	• Perimeter molding for full tiles
---	---	------------------------------------

*Fabrics

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed by the selected color number.


**Baffles and Clouds

For available formats, see pages 38 to 45.



Photo credit: Stéphane Groleau

2021 **Lauréat Platine**
GRANDS PRIX
DU DESIGN



DIAMOND

The Diamond tile’s triangular shape and 3D profile create eye-catching visuals. Plus it’s our most acoustically effective tile. Alternate the direction of installation to create spectacular topographies.




REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	30 x 26 in 762 x 660 mm	5,4 in 137 mm	2,71 ft² 0,252 m²	DIAA-3026-R-X-****-****	●	—	—

Perimeter Molding



Artotrim-C2
ARTC-2144-M-X-0000-0002 • Perimeter molding for full tiles



***Fabrics**

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed
by the selected color number.

****Baffles and Clouds**

For available formats, see pages 38 to 45.

PRISM

High-relief prism tiles make a big impact anywhere from gyms to public spaces. Play with color and alternate vertical and horizontal tiles to create dramatic visuals while putting a damper on excessive noise.



REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	24 x 24 in 610 x 610 mm	3,2 in 81 mm	4 ft² 0,372 m²	PRIA-2424-R-X-****-****	●	●	●

Perimeter Molding

	Artotrim-C1 ARTC-1144-M-X-0000-0002	• Perimeter molding for full tiles
--	---	------------------------------------

SPORT-IMPACT INSTALLATION

	24 x 24 in 610 x 610 mm	3 in 76 mm	4 ft² 0,372 m²	PRIA-2424-S-X-****-****	●	●	●
--	----------------------------	---------------	-------------------	-------------------------	---	---	---

Perimeter Moldings


	Artotrim-C3 ARTC-3144-M-X-0000-0002	• Perimeter molding for Zen tiles, whole or cut to size, allows for adjustment to the wall.
	Artotrim-L4 ARTL-4096-M-X-0000-0002	• Finishing molding for 3/8 in plywood or OSB backing • Also available: Artotrim-L1 for plywood and 1/2 in OSB

*Fabrics

Refer to the fabric offer, section 3 of the catalogue. Replace ****-**** with the fabric-style number, followed by the selected color number.

**Baffles and Clouds

For available formats, see pages 38 to 45.



PULSAR

Pulsar’s curves add dimension while improving acoustics for a vastly more enjoyable work environment. Arrange Pulsar tiles vertically or horizontally or alternate them to get exactly the look you’re going for.




REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	22,75 x 22,75 in 578 x 578 mm	3 in 76 mm	3,6 ft² 0,33 m²	PULA-2323-R-X-****-****	●	●	●
Perimeter Molding							
	Artotrim-C1 ARTC-1144-M-X-0000-0002 • Perimeter molding for full tiles						

***Fabrics**
Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed
by the selected color number.

****Baffles and Clouds**
For available formats, see pages 38 to 45.



PYRAMID

Need your space to sound as good as it looks? A single Pyramid may seem plain , but in a group its pyramidal shape lets you tease out fascinating shadow effects that shift with changing light—and clean up noise pollution.



REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
☒	11,375 x 11,375 in 289 x 289 mm	1,45 in 37 mm	0,90 ft² 0,084 m²	PYRA-1111-R-X-****-****	●	—	—

Perimeter Molding


**Artotrim-C1**
ARTC-1144-M-X-0000-0002 • Perimeter molding for full tiles

***Fabrics**

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-***** with the fabric-style number, followed by the selected color number.

****Baffles and Clouds**

For available formats, see pages 38 to 45.



RUBY

Rubies are a symbol of power, and this tile’s asymmetrical profile adds creative potential while improving acoustics. Laid out horizontally, vertically, or in alternation, Ruby tiles give a texture and depth to walls and ceilings that varies with the brightness of the room.




REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	24 x 24 in 610 x 610 mm	3,4 in 86 mm	4 ft² 0,372 m²	RUBA-2424-T-X-****-****	●	●	—
Perimeter Molding							
	Artotrim-C1 ARTC-1144-M-X-0000-0002 • Perimeter molding for full tiles						

***Fabrics**
Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed
by the selected color number.

****Baffles and Clouds**
For available formats, see pages 38 to 45.



TOPAZ

Topaz tiles can limit noise in sports facilities or eliminate distractions in collaborative workspaces. The triangular shape goes into various kinds of configurations and comes in a range of colors for endless creativity. It forms a dynamic duo with Diamond—working some magic with their contrasting volumes.



REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	30 x 26 in 762 x 660 m	1,3 in 33 mm	2,71 ft² 0,252 m²	TOPA-3026-R-X-****-****	●	—	●

Perimeter Molding

	Artotrim-C2 ARTC-2144-M-X-0000-0002	• Perimeter molding for triangular tiles
---	---	--

SPORT-IMPACT INSTALLATION

	30 x 26 in 762 x 660 m	1,3 in 33 mm	2,71 ft² 0,252 m²	TOPA-3026-S-X-****-****	●	—	●
---	---------------------------	-----------------	----------------------	-------------------------	---	---	---

Perimeter Moldings


	Artotrim-C2 ARTC-2144-M-X-0000-0002	• Perimeter molding for triangular tiles
	Artotrim-L4 ARTL-4096-M-X-0000-0002	• Finishing molding for 3/8 in plywood or OSB backing Also available: Artotrim-L1 for plywood and 1/2 in OSB

*Fabrics

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed by the selected color number.

**Baffles and Clouds

For available formats, see pages 38 to 45.



WAVE

Wave in an alternating layout that makes a real splash at the gymnasiums! Installed horizontally it creates a gentle rocking motion that adds elegance and acoustic comfort to conference rooms and open-concept spaces alike.



REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	24 x 24 in 610 x 610 mm	1,3 in 33 mm	4 ft² 0,372 m²	WAVA-2424-R-X-****-****	●	—	●

Perimeter Molding

	Artotrim-C1 ARTC-1144-M-X-0000-0002	• Perimeter molding for full tiles
---	---	------------------------------------

SPORT-IMPACT INSTALLATION

	24 x 24 in 610 x 610 mm	1,3 in 33 mm	4 ft² 0,372 m²	WAVA-2424-S-X-****-****	●	—	●
---	----------------------------	-----------------	-------------------	-------------------------	---	---	---

Perimeter Moldings


	Artotrim-C3 ARTC-3144-M-X-0000-0002	• Perimeter molding for Zen tiles, whole or cut to size, allows for adjustment to the wall.
	Artotrim-L4 ARTL-4096-M-X-0000-0002	• Finishing molding for 3/8 in plywood or OSB backing • Also available: Artotrim-L1 for plywood and 1/2 in OSB

*Fabrics

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-***** with the fabric-style number, followed by the selected color number.

**Baffles and Clouds

For available formats, see pages 38 to 45.



WEDGE

Wedge’s angular outline can be set in multiple directions to generate movement. There’s a chaos to the shifting directions, but the overall effect is one of visual and acoustic balance and harmony.



REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	11,375 x 11,375 in 289 x 289 mm	1,45 in 37 mm	0,90 ft² 0,084 m²	WEDA-1111-R-X-****-****		—	—

Perimeter Molding

**Artotrim-C1**
ARTC-1144-M-X-0000-0002 • Perimeter molding for full tiles



***Fabrics**
Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed by the selected color number.

****Baffles and Clouds**
For available formats, see pages 38 to 45.



ZEN

The Zen tile's flat profile makes it the most versatile member of the Artofix collection. Zen tiles can be applied on their own or in combination with 3D tiles to create light and shadow effects. In wall-to-wall applications they can be cut to fit the existing space.



ZEN

REGULAR INSTALLATION

	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*	Walls & Ceilings	Baffles**	Clouds**
	24 x 24 in 610 x 610 mm	1 in 25 mm	4 ft² 0,372 m²	ZENA-2424-R-X-****-****	●	●	●
	24 x 24 in 610 x 610 mm	0,6 in 15 mm	4 ft² 0,372 m²	ZENA-2424-T-X-****-****	●	—	—
	24 x 12 in 610 x 305 mm	1 in 25 mm	2 ft² 0,186 m²	ZENA-2412-R-X-****-****	●	●	—
	22,75 x 22,75 in 578 x 578 mm	0,75 in 19 mm	3,6 ft² 0,093 m²	ZENA-2323-R-X-****-****	●	—	—
	11,375 x 11,375 in 289 x 289 mm	0,75 in 19 mm	0,90 ft² 0,084 m²	ZENA-1111-R-X-****-****	●	—	—

Perimeter Moldings

	Artotrim-C1 ARTC-1144-M-X-0000-0002	- Perimeter molding for full tiles (all formats and thicknesses) - Compatible with Zen tiles trimmed to 0.75 in thickness or less
	Artotrim-C3 ARTC-3144-M-X-0000-0002	- Perimeter molding for Zen tiles trimmed to 1 in thickness only - Allows adjustment to wall and/or ceiling - Finishing molding for obstacles (ex: light fixture, power outlet, electric baseboard, etc.)

SPORT-IMPACT INSTALLATION

	24 x 24 in 610 x 610 mm	1 in 25 mm	4 in² 0,372 m²	ZENA-2424-S-X-****-****	●	**	**
	24 x 12 in 610 x 305 mm	1 in 25 mm	2 in² 0,186 m²	ZENA-2412-S-X-****-****	●	**	**

Perimeter Moldings

	Artotrim-C3 ARTC-3144-M-X-0000-0002	Perimeter molding for Zen tiles, whole or cut to size, allows for adjustment to the wall.
	Artotrim-L4 ARTL-4096-M-X-0000-0002	- Finishing molding for 3/8 in plywood or OSB backing - Also available: Artotrim-L1 for plywood and 1/2 in OSB

*Fabrics

Refer to the fabric offer, section 3 of the catalogue.
Replace ****-**** with the fabric-style number, followed by the selected color number.

**Baffles and Clouds



For available formats, see pages 38 to 45.



SUSPENDED CEILINGS

Tiles can be hung from the ceiling using a standard grid system, or better yet, Artofix's hidden ACG* system. In addition to wall tiles, we also offer a full lineup of acoustic tiles. The ACG system creates visual symmetry by aligning wall and ceiling tiles.

*Artofix Concealed Grid



SUSPENDED CEILING

VISIBLE GRID SYSTEM

This system spiffs up suspended ceilings with three tile models featuring T-bar edges that fit standard 15/16-inch (24 mm) grids. Customize it to fit your room with Zen tile layouts and the addition of Artotrim-C1C finish trim.

REGULAR INSTALLATION

	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
	Pulsar	24 x 24 in 610 x 610 mm	3,7 in 93 mm	4 ft² 0,372 m²	PULA-2424-C-X-****_****
	Wave	24 x 24 in 610 x 610 mm	1,4 in 36 mm	4 ft² 0,372 m²	WAVA-2424-C-X-****_****
	Zen	24 x 24 in 610 x 610 mm	1,3 in 33 mm	4 ft² 0,372 m²	ZENA-2424-C-X-****_****

Adjustment molding

Artotrim-C1C ARTC-1023-M-X-0000-0002	Finishing molding for cut Zen tiles. Required for adjustments along the perimeter of the ceiling.
--	---

*Fabrics

Refer to the fabric offer, section 3 of the catalogue. Replace ****_***** with the fabric-style number, followed by the selected color number.



SUSPENDED CEILING

CONCEALED GRID SYSTEM

Artofix's ACG system is designed to fully cover standard 15/16-inch (24 mm) suspended-grid ceilings. Visible grids take up 8% to 10% of a suspended ceiling and their smooth, flat surfaces readily reflect sound. Not only does the ACG system improve acoustic performance—it looks better too.

REGULAR CEILING INSTALLATION†


Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
 Crystal	24 x 24 in 610 x 610 mm	4 in 102 mm	4 ft² 0,372 m²	CRYA-2424-R-A-****-****
 Prism	24 x 24 in 610 x 610 mm	3,2 in 81 mm	4 ft² 0,372 m²	PRIA-2424-R-A-****-****
 Pulsar	24 x 24 in 610 x 610 mm	3 in 76 mm	4 ft² 0,372 m²	PULA-2424-R-A-****-****
 Wave	24 x 24 in 610 x 610 mm	1,3 in 33 mm	4 ft² 0,372 m²	WAVA-2424-R-A-****-****
 Zen	24 x 24 in 610 x 610 mm	1 in 25 mm	4 ft² 0,372 m²	ZENA-2424-R-A-****-****

Adjustment molding

	Artotrim-C3 ARTC-3144-M-X-0000-0002	• Perimeter molding for 24x24 inch tiles, three-dimensional tiles (whole) and Zen tiles (whole or cut) • For ceiling perimeter adjustment
---	---	---

***Fabrics**
Refer to the fabric offer, section 3 of the catalogue.
Replace ****-***** with the fabric-style number, followed by the selected color number.

†If sprinklers are present, please refer to your local building code









CLOUDS & BAFFLES






Dealing with obstructed ceilings or walls or glass partitions? Lacking surface area? Sounds like you need Artofix clouds and baffles—they'll improve your acoustics and elevate your interior. Be creative! Combine clouds and baffles with wall tiles for one-of-a-kind solutions. Baffles are easy to position around all sorts of obstacles, while clouds act as sound traps over workstations. Try layering and overlapping them and mix and match tile models and colors for dazzling results.



BAFFLES




PRODUCT INFORMATION

Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
 Crystal	48,25 x 24,25 in 1225 x 645 mm	8,12 in 206 mm	16 ft² 1,486 m²	CRYA-4824-R-B-****-****
	72,25 x 24,25 in 1835 x 645 mm	8,12 in 206 mm	24 ft² 2,230 m²	CRYA-7224-R-B-****-****
	96,25 x 24,25 in 2445 x 645 mm	8,12 in 206 mm	32 ft² 2,973 m²	CRYA-9624-R-B-****-****
 Prism	48,25 x 24,25 in 1225 x 645 mm	6,68 in 170 mm	16 ft² 1,486 m²	PRIA-4824-R-B-****-****
	72,25 x 24,25 in 1835 x 645 mm	6,68 in 170 mm	24 ft² 2,230 m²	PRIA-7224-R-B-****-****
	96,25 x 24,25 in 2445 x 645 mm	6,68 in 170 mm	32 ft² 2,973 m²	PRIA-9624-R-B-****-****
 Pulsar	45,75 x 23 in 1162 x 584 mm	6 in 152 mm	14,4 ft² 1,338 m²	PULA-4623-R-B-****-****
	68,50 x 23 in 1740 x 584 mm	6 in 152 mm	21,6 ft² 2,007 m²	PULA-6923-R-B-****-****
	91,25 x 23 in 2318 x 584 mm	6 in 152 mm	28,8 ft² 2,676 m²	PULA-9123-R-B-****-****
 Ruby	48,25 x 24,25 in 1225 x 645 mm	6,93 in 176 mm	16 ft² 1,486 m²	RUBA-4824-R-B-****-****
	72,25 x 24,25 in 1835 x 645 mm	6,93 in 176 mm	24 ft² 2,230 m²	RUBA-7224-R-B-****-****
	96,25 x 24,25 in 2445 x 645 mm	6,93 in 176 mm	32 ft² 2,973 m²	RUBA-9624-R-B-****-****
 Zen	48,25 x 24,25 in 1225 x 645 mm	1,94 in 49 mm	16 ft² 1,486 m²	ZENA-4824-R-B-****-****
	72,25 x 24,25 in 1835 x 645 mm	1,94 in 49 mm	24 ft² 2,230 m²	ZENA-7224-R-B-****-****
	96,25 x 24,25 in 2445 x 645 mm	1,94 in 49 mm	32 ft² 2,973 m²	ZENA-9624-R-B-****-****
	48,25 x 12,25 in 1225 x 311 mm	1,94 in 49 mm	8 ft² 0,743 m²	ZENA-4812-R-B-****-****
	72,25 x 12,25 in 1835 x 311 mm	1,94 in 49 mm	12 ft² 1,115 m²	ZENA-7212-R-B-****-****
	96,25 x 12,25 in 2445 x 311 mm	1,94 in 49 mm	16 ft² 1,486 m²	ZENA-9612-R-B-****-****
	48,25 x 6,25 in 1225 x 159 mm	1,94 in 49 mm	4 ft² 0,372 m²	ZENA-4806-R-B-****-****
	72,25 x 6,25 in 1835 x 159 mm	1,94 in 49 mm	6 ft² 0,557 m²	ZENA-7206-R-B-****-****
	96,25 x 6,25 in 2445 x 159 mm	1,94 in 49 mm	8 ft² 0,743 m²	ZENA-9606-R-B-****-****

*Fabrics

Refer to the fabric offer, section 3 of the catalogue. Replace ****-**** with the fabric-style number, followed by the selected color number.

BAFFLES SPORT-IMPACT




PRODUCT INFORMATION

	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
	Prism	48,25 x 24,25 in 1225 x 645 mm	6,65 in 169 mm	16 ft² 1,486 m²	PRIA-4824-S-B-****_****
		72,25 x 24,25 in 1835 x 645 mm	6,65 in 169 mm	24 ft² 2,230 m²	PRIA-7224-S-B-****_****
		96,25 x 24,25 in 2445 x 645 mm	6,65 in 169 mm	32 ft² 2,973 m²	PRIA-9624-S-B-****_****
	Zen	48,25 x 24,25 in 1225 x 645 mm	2,25 in 57 mm	16 ft² 1,486 m²	ZENA-4824-S-B-****_****
		72,25 x 24,25 in 1835 x 645 mm	2,25 in 57 mm	24 ft² 2,230 m²	ZENA-7224-S-B-****_****
		96,25 x 24,25 in 2445 x 645 mm	2,25 in 57 mm	32 ft² 2,973 m²	ZENA-9624-S-B-****_****
		48,25 x 12,25 in 1225 x 311 mm	2,25 in 57 mm	8 ft² 0,743 m²	ZENA-4812-S-B-****_****
		72,25 x 12,25 in 1835 x 311 mm	2,25 in 57 mm	12 ft² 1,115 m²	ZENA-7212-S-B-****_****
		96,25 x 12,25 in 2445 x 311 mm	2,25 in 57 mm	16 ft² 1,486 m²	ZENA-9612-S-B-****_****







*Fabrics

Refer to the fabric offer, section 3 of the catalogue. Replace ****_**** with the fabric-style number, followed by the selected color number.

CLOUDS



PRODUCT INFORMATION



	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
	Crystal	48,25 x 48,25 in 1225 x 1225 mm	4,56 in 116 mm	16 ft² 1,486 m²	CRYA-4848-R-N-****-****
		48,25 x 72,25 in 1225 x 1835 mm	4,56 in 116 mm	24 ft² 2,230 m²	CRYA-4872-R-N-****-****
	Prism	48,25 x 48,25 in 1225 x 1225 mm	3,85 in 98 mm	16 ft² 1,486 m²	PRIA-4848-R-N-****-****
		48,25 x 72,25 in 1225 x 1835 mm	3,85 in 98 mm	24 ft² 2,230 m²	PRIA-4872-R-N-****-****
	Pulsar	45,75 x 45,75 in 1162 x 1162 mm	3,25 in 83 mm	14,4 ft² 1,338 m²	PULA-4646-R-N-****-****
		45,75 x 68,50 in 1162 x 1740 mm	3,25 in 83 mm	21,6 ft² 2,007 m²	PULA-4669-R-N-****-****
	Topaz	52,25 x 52,25 in 1327 x 1327 mm	1,85 in 47 mm	16,26 ft² 1,511 m²	TOPA-5252-R-N-****-****
	Wave	48,25 x 48,25 in 1225 x 1225 mm	1,87 in 47 mm	16 ft² 1,486 m²	WAVA-4848-R-N-****-****
		48,25 x 72,25 in 1225 x 1835 mm	1,87 in 47 mm	24 ft² 2,230 m²	WAVA-4872-R-N-****-****
	Zen	48,25 x 48,25 in 1225 x 1225 mm	1,47 in 37 mm	16 ft² 1,486 m²	ZENA-4848-R-N-****-****
		48,25 x 72,25 in 1225 x 1835 mm	1,47 in 37 mm	24 ft² 2,230 m²	ZENA-4872-R-N-****-****

*Fabrics





Refer to the fabric offer, section 3 of the catalogue. Replace ****-**** with the fabric-style number, followed by the selected color number.

CLOUDS

SPORT-IMPACT



PRODUCT INFORMATION

Model	Dimensions W x H	Thickness	Acoustic Surface Area	Product Code*
 Prism	48,25 x 48,25 in 1225 x 1225 mm	3,45 in 88 mm	16 ft² 1,486 m²	PRIA-4848-S-N-****-****
	48,25 x 72,25 in 1225 x 1835 mm	3,45 in 88 mm	24 ft² 2,230 m²	PRIA-4872-S-N-****-****
 Topaz	52,25 x 52,25 in 1327 x 1327 mm	1,55 in 39 mm	16,26 ft² 1,511 m²	TOPA-5252-S-N-****-****
 Wave	48,25 x 48,25 in 1225 x 1225 mm	1,25 in 32 mm	16 ft² 1,486 m²	WAVA-4848-S-N-****-****
	48,25 x 72,25 in 1225 x 1835 mm	1,25 in 32 mm	24 ft² 2,230 m²	WAVA-4872-S-N-****-****
 Zen	48,25 x 48,25 in 1225 x 1225 mm	1,25 in 32 mm	16 ft² 1,486 m²	ZENA-4848-S-N-****-****
	48,25 x 72,25 in 1225 x 1835 mm	1,25 in 32 mm	24 ft² 2,230 m²	ZENA-4872-S-N-****-****

*Fabrics

Refer to the fabric offer, section 3 of the catalogue. Replace ****-**** with the fabric-style number, followed by the selected color number.

PREDEFINED

Solutions

03

PREDEFINED
Solutions

SOLO, DUO & TRIO

The Predefined Solutions are designed to blend harmoniously into your environment, whether it's an office, a meeting room or a relaxation area.


What's more, they offer excellent sound absorption, helping to create a calm environment conducive to concentration and productivity.




SOLO DUO TRIO

SOLO, DUO & TRIO offer three (3) predefined assortments of twelve (12) tiles and pre-cut moldings, for easy installation.


Choose a tile model, a fabric color and your favorite tile layout to beautify your interior while creating a calm and peaceful environment.



Crystal
24 x 24 in
610 x 610 mm




Prism
24 x 24 in
610 x 610 mm



Zen
24 x 24 in
610 x 610 mm



DUO 4' x 6'
CRYSTAL 2424 // Layout CRYP-D8



SOLO 8' x 6'
CRYSTAL 2424 // Layout CRYP-S8

SOLO



SOLO 8' x 6'
ZEN 2424 // Layout ZENP-S1

SOLO by Artofix offers twelve (12) tiles and four (4) pre-cut moldings.
Get inspired by the different configurations.

PRODUCT INFORMATION


	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Codes SOLO [†]	Artotrim-C1* (included)	Artoclips** (included)
	Crystal Solo 6 x 8 (12 tiles)	96,25 x 72,25 in 2445 x 1835 mm	4,02 in 102 mm	48 ft² 4,46 m²	CRYP-9672-R-S-2335-****	2x (72 in) 2x (96 in)	28
	Prism Solo 6 x 8 (12 tiles)	96,25 x 72,25 in 2445 x 1835 mm	3,30 in 84 mm	48 ft² 4,46 m²	PRIP-9672-R-S-2335-****	2x (72 in) 2x (96 in)	28
	Zen Solo 6 x 8 (12 tiles)	96,25 x 72,25 in 2445 x 1835 mm	0,93 in 24 mm	48 ft² 4,46 m²	ZENP-9672-R-S-2335-****	2x (72 in) 2x (96 in)	28

For further information, please refer to the SOLO product sheet.


FORMAT 8' X 6'

TILE LAYOUT

Crystal



Prism



Zen



CHOICE OF FABRICS

Anchorage Fabric 2335



Assortments can be arranged vertically or horizontally, side-by-side or spaced apart.

DUO



Duo 4' x 6'
PRISM 2424 // Layout PRIP-D8

DUO by Artofix offers twelve (12) tiles and four (8) pre-cut moldings.
Get inspired by the different configurations.

PRODUCT INFORMATION


	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Codes DUO ⁺	Artotrim-C1* (included)	Artoclips** (included)
	Crystal Duo 4 x 6 (12 tiles)	2 frames : 48,38 x 72,25 in 1229 x 1835 mm	4,02 in 102 mm	48 ft² 4,46 m²	CRYP-4872-R-D-2335-****	4x (48 in) 4x (72 in)	40
	Prism Duo 4 x 6 (12 tiles)	2 frames : 48,38 x 72,25 in 1229 x 1835 mm	3,30 in 84 mm	48 ft² 4,46 m²	PRIP-4872-R-D-2335-****	4x (48 in) 4x (72 in)	40
	Zen Duo 4 x 6 (12 tiles)	2 frames : 48,38 x 72,25 in 1229 x 1835 mm	0,93 in 24 mm	48 ft² 4,46 m²	ZENP-4872-R-D-2335-****	4x (48 in) 4x (72 in)	40

For further information, please refer to the DUO product sheet.


FORMAT 4' X 6'

TILE LAYOUT


Crystal



Prism



Zen



CHOICE OF FABRICS

Anchorage Fabric 2335



Assortments can be arranged vertically or horizontally, side-by-side or spaced apart.

TRIO



Trio 4' x 4'
CRYSTAL 2424 // Layout CRYP-T6

TRIO by Artofix offers twelve (12) tiles and four (12) pre-cut moldings.
Get inspired by the different configurations.

PRODUCT INFORMATION


	Model	Dimensions W x H	Thickness	Acoustic Surface Area	Codes TRIO ⁺	Artotrim-C1* (included)	Artoclips** (included)
	Crystal Trio 4 x 4 (12 tiles)	3 frames : 48,38 x 48,38 in 1229 x 1229 mm	4,02 in 102 mm	48 in ² 4,46 m ²	CRYP-4848-R-T-2335-****	12x (48 in)	48
	Prism Trio 4 x 4 (12 tiles)	3 frames : 48,38 x 48,38 in 1229 x 1229 mm	3,30 in 84 mm	48 in ² 4,46 m ²	PRIP-4848-R-T-2335-****	12x (48 in)	48
	Zen Trio 4 x 4 (12 tiles)	3 frames : 48,38 x 48,38 in 1229 x 1229 mm	0,93 in 24 mm	48 in ² 4,46 m ²	ZENP-4848-R-T-2335-****	12x (48 in)	48

For further information, please refer to the TRIO product sheet.


FORMAT 4' X 4'

TILE LAYOUT


Crystal



Prism



Zen



CHOICE OF FABRICS


Anchorage Fabric 2335



Assortments can be arranged vertically or horizontally, side-by-side or spaced apart.





















04 FABRICS

Specifications




Slate
2017

ANCHORAGE 2335

						
White 2664	Drift 8570	Pearl 8573	Shell 8572	Dune 8583	Vanilla 2130	Birch 2129
						
Angora 2035	Goose 2049	Cumin 2050	Lemon 2839	Sunshine 2082	Straw 2034	Goldenrod 2090
						
Pumpkin 2021	Geranium 2084	Poppy 2091	Red Delicious 2014	Mulberry 2044	Orchid 2843	Fossil 2093
						
Graphite 2079	Coffee Bean 2083	Aubergine 2036	Onyx 2016	North Star 8578	Dew 8579	Foam 8585
						
Fog 8586	Overcast 8575	Shadow 6694	Breeze 8582	Wolf 2027	Asteroid 2053	Eucalyptus 2047
						
Green Apple 2087	Willow 2028	Fern 2840	Pine Needle 2022	Quarry Blue 2026	Bay 8703	Waterfall 2691
						
Turquoise 2841	Deep Water 2051	Pool 2842	Lapis 2094	Thistle 2085	Cobalt 2045	Midnight 2025

*Colors may vary from the physical fabrics. To order samples, please contact your sales representative or your authorized distributor.

MARIN 1300



Dolphin
1147



Great White
1143



Ice Edge
1145



Sea Glass
1146



Grey Whale
1148




Sand
1142



Pelican
1141



Tusk
1144



Swell
1155




Benthic
1157



Intertidal
1156



Blacktip
1149



Carrageen
1150




Red Snapper
1151



Clownfish
1152




Mangrove
1154




Sunfish
1153






QUADRILLE


4701




Gambol
1003




Cabaret
1002




Fair
1001



Regalia
1005




Zest
1007




Fiesta
1008




Carnival
1009




Jubilee
1011




Shenanigan
1017




Spring
1006



Escapade
1016




Revelry
1015



Soiree
1014



Opus
1012



Masquerade
1013

MOLDINGS




Artotrim-C1




Artotrim-C2



Artotrim-C3



Artotrim-L1



Artotrim-L4



Artotrim-SQ1



Artotrim-SQ2

PRODUCT INFORMATION

Model	Length	Product Code	Description & Application
MOLDINGS FOR REGULAR INSTALLATION			
Artotrim-C1	144 in 3658 mm	ARTC-1144-M-X-0000-0002	- Perimeter molding for full tiles - all formats and thicknesses) - Compatible with Zen tiles trimmed to 0.75 in thickness or less
Artotrim-C2	144 in 3658 mm	ARTC-2144-M-X-0000-0002	Perimeter molding for triangular tiles (Topaz and Diamond)
Artotrim-C3	144 in 3658 mm	ARTC-3144-M-X-0000-0002	- Perimeter molding for Zen tiles trimmed to 1 in thickness only - Allows adjustment to wall and/or ceiling - Finishing molding for obstacles (ex: light fixture, power outlet, electric baseboard, etc.)
MOLDINGS FOR SPORT-IMPACT INSTALLATION			
Artotrim-C3	144 in 3658 mm	ARTC-3144-M-X-0000-0002	- Perimeter molding for Zen tiles, whole or cut Allows adjustment to the wall - Installed with Artotrim-L4 or Artotrim-L1 plywood and OSB finishing moldings
Artotrim-C2	144 in 3658 mm	ARTC-2144-M-X-0000-0002	- Perimeter molding for Topaz tiles - Installed with Artotrim-L4 or Artotrim-L1 plywood and OSB finishing moldings
Artotrim-L1	96 in 2438 mm	ARTL-1096-M-X-0000-0002	Finishing molding for 1/2 in plywood or OSB backing
Artotrim-L4	96 in 2438 mm	ARTL-4096-M-X-0000-0002	Finishing molding for 3/8 in plywood or OSB backing
MOLDINGS FOR SUSPENDED CEILING INSTALLATION (Exposed grid)			
Artotrim-C1C*	23,75 in 610 mm	ARTC-1023-M-X-0000-0002	Finishing molding for cut Zen tiles. Required for ceiling perimeter adjustment
Artotrim-C1C* Kit concave		ARTA-0024-H-R-0000-0001	Interior corner support plate for Zen suspended ceiling tiles
Artotrim-C1C* Kit convexe		ARTA-0023-H-R-0000-0001	Exterior corner support plate for Zen suspended ceiling tiles
MOLDINGS FOR SUSPENDED CEILING INSTALLATION (Concealed grid)*			
Artotrim-C3	144 in 3658 mm	ARTC-3144-M-X-0000-0002	- Perimeter molding for 24x24 inch tiles, three-dimensional tiles (whole) and Zen tiles (whole or cut) For ceiling perimeter adjustment * If sprinklers are present, please refer to your local building code
OTHER MOLDINGS			
Artotrim-L1	96 in 2438 mm	ARTL-1096-M-X-0000-0002	Finishing molding for 1/2 in plywood or OSB backing
Artotrim-L4	96 in 2438 mm	ARTL-4096-M-X-0000-0002	Finishing molding for 3/8 in plywood or OSB backing
Artotrim-SQ1	144 in 3658 mm	ARTS-1144-M-X-0000-0002	3/4 in x 3/4 in square tube for inner and outer corners - Compatible with Artotrim-C1 molding
Artotrim-SQ2	144 in 3658 mm	ARTS-2144-M-X-0000-0002	1 in x 1 in square tube for inner and outer corners. Compatible with Artotrim-C3 molding
Finish: Anodized aluminium			*Non-illustrated

ARTOFIX

220-2271 Blvd Fernand-Lafontaine
Longueuil QC J4G 2R7
450 646-7555

artofix.com



US Distributor
3545 Scarlet Oak Blvd
St. Louis, Missouri, 63122
800-737-0207

gsacoustics.com

YouTube

